



TECHNOLOGY-ENABLED BASKETBALL PERFORMANCE ANALYTICS AN INTEGRATIVE REVIEW AND HUMAN-CENTRED CONCEPTUAL FRAMEWORK FOR DATA-DRIVEN DECISION-MAKING

R. Keseavan*, A. S. Nageswaran**, S. Sethu***, K. John Bosco**
& E. Ravichandran****

* Research Scholar, Department of Physical Education, Health Education and Sports, H.H. The Rajah's College (Autonomous & Affiliated to Bharathidasan University), Pudukkottai, Tamil Nadu, India

** Department of Physical Education, Health Education and Sports, H.H. The Rajah's College (Autonomous & Affiliated to Bharathidasan University), Pudukkottai, Tamil Nadu, India

*** Associate Professor, Department of Physical Education and Sports, Central University of Tamil Nadu, Thiruvavur, Tamil Nadu, India

**** Department of Physical Education, AVVM Sri Pushpam College (Autonomous & Affiliated to Bharathidasan University), Poondi, Thanjavur, Tamil Nadu, India

Cite This Article: R. Keseavan, A. S. Nageswaran, S. Sethu, K. John Bosco & E. Ravichandran, "Technology-Enabled Basketball Performance Analytics an Integrative Review and Human-Centred Conceptual Framework for Data-Driven Decision-Making", *International Journal of Multidisciplinary Research and Modern Education*, Volume 12, Issue 2, July - December, Page Number 41-48, 2026.

Copy Right: © Crystal Pen Publication, 2026 (All Rights Reserved). This is an Open Access Article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Type of Review: Peer Reviewed as per [C|O|P|E] Guidance.

Disclaimer: The scholarly papers reviewed and published by Crystal Pen Publication, India, reflect the views and opinions of their respective authors and do not necessarily represent the views or opinions of Crystal Pen Publication. The publisher disclaims any responsibility for any harm, loss, or damage resulting from the use of the published content by any party.

DOI: <https://doi.org/10.5281/zenodo.22823667>

Abstract:

Basketball performance analytics has progressed from conventional box-score summaries to an integrated process involving player tracking, wearable monitoring, computer vision, biomechanical assessment, immersive training, and intelligent decision support. This integrative review examines how these technologies and analytical methods can be combined within a human-centred framework for basketball performance. The literature is organized around analytical techniques, enabling technologies, application domains, and implementation conditions. The synthesis shows that data become practically useful only when measurements are reliable, synchronized, interpreted within athlete and game context, translated into an accountable professional decision, implemented as an intervention, and evaluated through feedback. The proposed framework connects measurement, data integration, analysis, contextual interpretation, human decision-making, intervention, outcome assessment, and recalibration. It also emphasizes explainability, athlete agency, privacy, model validation, and multidisciplinary responsibility. The review provides six testable propositions and practical guidance for performance optimization, tactical analysis, workload management, rehabilitation, talent development, and coaching. Technology should therefore be judged by the quality, timing, fairness, and outcomes of the decisions it supports, rather than by data volume or algorithmic complexity alone.

Key Words: Basketball Analytics; Player Tracking; Wearable Technology; Computer Vision; Performance Optimization; Decision Support; Artificial Intelligence

1. Introduction:

Basketball performance analysis has changed substantially with advances in sensing, video, computing, and statistical modelling. Earlier approaches relied mainly on points, rebounds, assists, turnovers, shooting percentages, and other box-score measures. These indicators remain useful, but they describe outcomes more clearly than the processes that produced them. Players with similar scoring totals may experience different defensive pressure, movement demands, tactical roles, shot locations, and physiological stress. Modern analytics therefore attempts to explain not only what happened, but also how and under what conditions it happened (Gudmundsson & Horton, 2017; Turner & Franks, 2021).

Player-tracking systems can record player and ball location, speed, acceleration, trajectories, court occupation, interpersonal distance, defensive proximity, and team spacing. Wearable devices add external-load and internal-response information such as movement intensity, accelerometer-derived load, heart rate, recovery, sleep, and wellness. Computer vision can automate player detection, action recognition, pose estimation, and tactical event extraction, while motion-capture and force-measurement systems provide detailed information about jumping, landing, cutting, sprinting, and shooting mechanics. These technologies make it possible to study basketball through technical, tactical, physical, physiological, biomechanical, and psychological perspectives within a common performance environment (Fox et al., 2017; Naik et al., 2022).

The central challenge is no longer the availability of data. Teams may operate several devices and software platforms without a clear method for deciding which evidence should influence training, selection, rehabilitation, or tactical preparation. Tactical changes can alter running demands, workload decisions can affect skill practice and recovery, fatigue can influence perception and execution, and rehabilitation restrictions can change a player's tactical role. Isolated analysis can therefore produce incomplete or conflicting explanations of the same athlete.

This review treats basketball analytics as a human-centred data-to-decision system. Analytical outputs are viewed as decision support rather than automatic decisions. Coaches, sport scientists, medical staff, analysts, and athletes must interpret model outputs alongside playing role, game state, schedule, symptoms, history, preferences, and available resources. The process should continue after an intervention so that subsequent outcomes can be used to evaluate and recalibrate both practice and the analytical model.

1.1 Aim and Research Questions:

The aim is to synthesize multidisciplinary basketball analytics research and propose a practical framework for reliable data-informed decision-making. Four questions guide the review: (1) Which analytical methods transform basketball data into decision-relevant evidence? (2) Which technologies generate these data and what limitations accompany their use? (3) In which performance, tactical, health, developmental, and coaching domains is the evidence applied? and (4) Which contextual, human, validation, and governance conditions determine whether analytics improves decisions and athlete outcomes?

2. Background, Research Gap and Review Method:

2.1 From Performance Indicators to Integrated Process Data:

Performance indicators convert competitive events into rates, efficiencies, and comparative summaries, but their interpretation depends on opportunity, possession structure, playing role, opposition, and sample size (Hughes & Bartlett, 2002; Kubatko et al., 2007). Tracking data add a process dimension by showing how actions develop in space and time. Defensive proximity, movement trajectories, spacing, interpersonal distance, transition speed, and coordinated behaviour can be examined directly rather than inferred from final outcomes (Franks et al., 2015; Sampaio et al., 2015).

Monitoring technologies have expanded the measurable demands of basketball. Wearables quantify movement exposure and physiological response, video and computer vision support automated event identification, motion-capture systems provide biomechanical detail, and virtual environments create controlled perceptual-cognitive training situations. Evidence from basketball and team-sport monitoring indicates that interpretation is strongest when physical exposure, internal response, tactical context, and athlete history are considered together (Petway et al., 2020; Stojanović et al., 2018).

2.2 Research Gap:

Despite technological progress, the literature still lacks a consistent explanation of how measurements become useful decisions. Device studies often describe what can be measured, modelling studies report what can be predicted, and applied studies evaluate selected outcomes. Fewer investigations describe the complete pathway from question definition to measurement, integration, analysis, interpretation, decision, intervention, outcome evaluation, and recalibration. Three alignments are especially important: conceptual alignment between a metric and the construct it represents, temporal alignment between synchronized data streams and the decision window, and organizational alignment between evidence, responsibility, athlete rights, and action.

2.3 Integrative Review Method:

An integrative conceptual-review design was used because basketball analytics includes systematic reviews, observational studies, methodological investigations, technology-validation research, performance analyses, and applied decision-support studies. Basketball-specific evidence was prioritized, while relevant team-sport and sport-technology literature was included when it clarified methods or implementation. Evidence was identified around basketball performance analysis, player tracking, spatiotemporal behaviour, wearables, training load, injury, computer vision, pose estimation, motion capture, virtual reality, talent identification, artificial intelligence, and coaching decision-making.

Included evidence was conceptually coded by analytical purpose, technology, data type, application domain, decision user, context, outcome, validation characteristics, and implementation conditions. Framework development then identified the minimum stages through which observations must pass before they can influence performance or welfare: measurement, integration, analysis, interpretation, decision, intervention, outcome, and feedback. Because this is an integrative conceptual review, it does not claim exhaustive retrieval, provide a PRISMA flow count, calculate formal risk-of-bias scores, or estimate pooled effect sizes.

Table 1: Review focus and evidence-coding framework

Review Dimension	Coding Question	Representative Evidence
Analytical technique	Does the method describe, explain, predict, prescribe, or identify patterns?	Statistics; spatial-temporal models; networks; machine learning; optimization
Enabling technology	How are movement, events, load, biomechanics, or cognition measured?	Tracking; wearables; video; motion capture; VR/AR; integrated platforms
Application domain	Which practical decision is supported and who uses the result?	Performance; tactics; health; rehabilitation; talent; cognition; coaching
Context	Which athlete, role, opponent, game state, schedule, and time scale apply?	Possession; session; microcycle; season; developmental stage
Evidence quality	Are reliability, validity, uncertainty, calibration, and transfer addressed?	Criterion validity; external validation; measurement error; sensitivity analysis
Implementation	Can the evidence be interpreted, governed, and embedded in workflow?	Explainability; consent; access; staff expertise; athlete acceptance; feedback




Figure 1: Conceptual workflow for the integrative review and framework construction

3. Analytical Techniques and Enabling Technologies:

3.1 Analytical Techniques:

Analytical methods form the transformation layer of basketball analytics. Descriptive analysis summarizes distributions, frequencies, rates, workload measures, trends, and efficiency indicators. Possession-based measures improve comparability by accounting for pace and opportunity, while confidence intervals and effect sizes communicate uncertainty and practical magnitude. Inferential methods examine differences, associations, and intervention effects. Mixed-effects and repeated-measures approaches are particularly relevant because observations are commonly nested within players, sessions, teams, and competitions. Spatial methods describe shot location, court occupation, trajectories, defensive proximity, and space creation. Temporal methods examine sequences, transitions, and action timing, while network analysis represents passing relationships, player interactions, and collective coordination. These methods are important because basketball tactics depend on player-to-player and player-to-space relationships rather than isolated individual actions (Courel-Ibáñez et al., 2017; Gudmundsson & Horton, 2017).

Machine-learning methods can classify events, represent nonlinear relationships, detect anomalies, estimate risk, and forecast performance. Regularized regression, decision trees, random forests, gradient boosting, support-vector machines, neural networks, sequence models, and ensembles can be useful when matched to the research question and data structure. Validation should preserve time and grouping, because randomly distributing repeated observations from the same athlete across training and test sets can inflate apparent accuracy. Evaluation should include calibration, prediction error, discrimination, subgroup performance, external validity, and decision usefulness rather than accuracy alone.

Prescriptive analytics extends prediction toward action. Potential applications include workload adjustment, lineup selection, recovery scheduling, skill-practice prioritization, and rehabilitation progression. Optimization should reflect multiple objectives because performance, availability, development, and athlete welfare can conflict. A recommendation that improves immediate competitive output but creates unacceptable fatigue or health risk may not be appropriate.

3.2 Player Tracking and Wearable Monitoring:

Player-tracking systems provide spatiotemporal coordinates for athletes and, in some systems, the ball. Derived variables include speed, acceleration, distance, trajectories, court zones, interpersonal distance, team dispersion, spacing, defensive pressure, and tactical structure. These data support analysis of transition behaviour, role demands, screen use, close-outs, movement efficiency, and collective organization. Their interpretation should remain linked to basketball-specific movement demands and the practical decision being considered (Ferraz et al., 2023).

Wearable devices monitor mechanical and physiological responses during training and competition. Common outputs include accelerometer-derived load, impacts, movement intensity, heart rate, sleep, wellness, and recovery measures. Their main value lies in repeated within-athlete monitoring rather than isolated absolute values. Each measure should be interpreted against individual baseline, device error, recent exposure, and session purpose. Training-load evidence suggests relationships with injury risk but does not support universal thresholds, so workload indicators should be combined with clinical, recovery, and

performance information (Chan et al., 2024; Impellizzeri et al., 2019).

3.3 Computer Vision, Biomechanics and Immersive Technologies:

Computer vision can automate player and ball detection, tracking, action recognition, pose estimation, event classification, and tactical clip extraction. It can reduce manual coding and extend analysis to settings without specialized tracking hardware. However, occlusion, camera movement, similar uniforms, lighting variation, and rapid multi-player interaction remain important challenges. Markerless pose estimation also requires task-specific validation because accuracy can differ across camera systems, body segments, and movements (Badiola-Bengoia & Mendez-Zorrilla, 2021; Naik et al., 2022).

Motion-capture systems, force platforms, and instrumented assessments quantify joint angles, angular velocity, ground-reaction force, impulse, asymmetry, centre-of-mass displacement, and movement timing. They can support technique evaluation and rehabilitation monitoring, but no single biomechanical feature should be treated as an inevitable injury marker. Virtual and augmented reality provide repeatable environments for perceptual-cognitive and tactical practice. Basketball simulations can manipulate opponent behaviour, viewing perspective, timing, and response demands, although transfer depends on how closely the simulation preserves representative perception-action relationships (Pagé et al., 2019; Richlan et al., 2023).

3.4 Integrated Monitoring Platforms:

Integrated platforms combine tracking, wearable, video, medical, training, competition, and athlete-reported information. Their value depends less on dashboard size than on a consistent underlying data model. Effective systems require synchronized timestamps, stable athlete identifiers, clear metric ownership, device-version records, access controls, and automated quality checks. Without these foundations, combining incompatible measurements can create false precision rather than meaningful integration.

Table 2: Technology-data-analysis-decision mapping

Technology	Primary Data	Suitable Analyses	Illustrative Decisions
Player tracking	Coordinates, velocity, acceleration, proximity	Spatial, temporal, network, possession models	Spacing, matchups, transition structure, role demands
Wearables	External load, heart rate, sleep, wellness	Trend analysis, individualized baselines, anomaly detection	Session adjustment, recovery review, exposure management
Computer vision	Tracks, events, poses, tactical clips	Detection, classification, action recognition	Automated coding, technique feedback, opponent scouting
Motion capture	Kinematics, kinetics, temporal sequencing	Biomechanical comparison, longitudinal profiling	Technique modification, rehabilitation progression
VR/AR	Choice accuracy, response time, gaze, behaviour	Learning curves, decision accuracy, transfer tests	Perceptual-cognitive practice, tactical rehearsal
Integrated platform	Synchronized longitudinal athlete records	Data fusion, multilevel models, explainable decision support	Coordinated coaching, science, and medical planning

4. Application Domains and Integrated Conceptual Framework:

4.1 Performance, Tactical and Health Applications:

Performance optimization uses analytics to compare training and competition demands, identify trends, quantify individual response, and evaluate whether interventions produce meaningful change. Practical decisions can include modifying drill intensity, redistributing weekly load, changing strength-power emphasis, or targeting a technical limitation. Follow-up is essential so that each recommendation becomes an evaluated intervention rather than a one-time report.

Tactical analytics addresses possession efficiency, shot selection, spacing, defensive coverage, transitions, matchups, and lineup combinations. Spatiotemporal information can distinguish identical box-score outcomes produced through different processes. Models should account for opponent quality, game state, role, and sample size. Small lineup samples can produce unstable estimates, so observational associations should not automatically be interpreted as causal.

Health applications combine exposure, workload, wellness, medical history, biomechanics, and recovery indicators to identify changes that require review, support progressive rehabilitation, and document readiness. The framework rejects automatic injury or return-to-play decisions based on a single model score. Medical assessment, athlete-reported status, sport-specific testing, and uncertainty must remain visible.

4.2 Talent, Cognitive and Coaching Applications:

Talent analytics can integrate anthropometry, physical testing, technical performance, tactical understanding, maturity, learning rate, and psychological characteristics. Evidence suggests that height, body mass, agility, sprinting, endurance, and jump performance can differentiate identified basketball groups, but these indicators should support longitudinal development rather than one-time selection (Han et al., 2023). Later-maturing athletes may be disadvantaged if current size or performance is treated as a complete forecast of potential.

Psychological and cognitive analytics can examine mental fatigue, attention, anticipation, confidence, perceived readiness, and team cohesion. These variables influence decision quality and skill execution but are sensitive to context and measurement method. Validated instruments should be combined with behavioural evidence, and psychological states should not be inferred from movement statistics alone. Decision-support systems can integrate evidence across these domains and present prioritized options, but interfaces should clearly separate observation, model estimate, uncertainty, and recommended action.

4.3 Integrated Human-Centred Framework:

The synthesis supports a model in which enabling technologies generate multidimensional observations, analytical methods transform them into descriptive, diagnostic, predictive, or prescriptive evidence, and application domains define the practical question. A decision-support layer then combines analytical evidence with professional expertise, uncertainty, and athlete-specific context. Interventions influence performance or welfare outcomes, and these outcomes return as feedback for evaluation and recalibration.

Integrative Conceptual Review Workflow




Figure 2: Integrated human-centred framework for technology-enabled basketball performance analytics

The framework is a logical pathway rather than an automatic causal chain. A tracking system may identify a spacing pattern, but practical benefit depends on measurement reliability, appropriate game context, timely communication, professional interpretation, and implementation. Data quality, ethics, expertise, resources, and athlete acceptance therefore moderate every stage. The feedback loop is equally important because athletes adapt, roles change, opponents alter strategies, schedules vary, and sensing systems are updated.

4.4 Testable Propositions:

The framework becomes scientifically useful when its central relationships are tested prospectively. Appropriate designs include longitudinal cohorts, pragmatic interventions, interrupted time-series studies, mixed-method implementation research, and external model validation. Statistical performance should be evaluated together with decision usefulness because a technically accurate model may still fail when it is late, opaque, or incompatible with coaching workflow.

Table 3: Testable propositions derived from the integrated framework

ID	Expected Relationship	Illustrative Indicators
P1	Integrated technical, tactical, physical, and physiological data improve assessment usefulness compared with single-source analysis.	External error; calibration; coach-rated usefulness; decision agreement
P2	Models including opponent, game state, role, and time outperform decontextualized aggregate statistics.	Out-of-sample fit; calibration; possession-level classification
P3	Explainable outputs improve practitioner trust and adoption compared with equally accurate opaque outputs.	Adoption; explanation satisfaction; intervention adherence
P4	Longitudinal feedback and recalibration reduce model drift and improve individualized recommendations.	Calibration drift; forecast error; response heterogeneity
P5	Data quality, expertise, governance, and athlete acceptance moderate the relationship between analytics and outcomes.	Missingness; reliability; literacy; consent; perceived fairness
P6	Analytics-supported decisions improve outcomes when evidence is combined with domain expertise and athlete context.	Performance change; availability; false alerts; override quality

5. Discussion, Implementation, Limitations and Future Directions:

5.1 Principal Synthesis and Practical Meaning:

The literature demonstrates substantial technological progress but a less consistent connection between measurement and decision-making. Basketball can now be observed at fine spatial and temporal resolution, internal responses can be monitored across training cycles, computer vision can automate video analysis, and immersive systems can reproduce perceptual-cognitive scenarios. Yet tactical, conditioning, medical, biomechanical, and psychological information often remains fragmented. This makes it difficult to determine why performance changed and whether a specific intervention caused the observed response.

The framework addresses this problem by treating analytics as a sociotechnical feedback system. Its unit of value is not a sensor reading or model score, but an accountable decision followed by an evaluated intervention. Three contributions are central. First, data integration is separated from simple data accumulation and requires synchronized time, stable athlete identity, compatible definitions, and an explicit reason for linking data streams. Second, human-centred decision support is treated as a mechanism in which explanation, professional judgement, athlete knowledge, and uncertainty determine whether evidence becomes action. Third, longitudinal feedback is explicit so that outcomes can recalibrate both models and practice.

5.2 Implementation, Data Quality and Responsible AI:

Implementation should begin with a decision question rather than a device purchase. Staff should define the target population, intended action, decision time frame, responsible professional, and consequences of false reassurance or false alarm. Each metric should have an interpretation rule, owner, decision window, and follow-up outcome. Tactical information must arrive before game planning, recovery indicators before load prescription, and rehabilitation measures before progression decisions.

Data quality should be monitored through missingness, timestamp alignment, device reliability, inter-device comparability, annotation agreement, and documentation of hardware or software changes. Model reporting should include calibration, subgroup performance, false-alert rates, uncertainty, and decision thresholds. Artificial-intelligence systems require

particular attention because models developed in one league, camera system, or population may not generalize elsewhere. Representative validation, transparent limitations, secure handling, drift monitoring, and human review are essential (Munoz-Macho et al., 2024).

5.3 Ethics, Privacy and Athlete Agency:

Basketball analytics may involve sensitive medical, physiological, psychological, behavioural, and employment-related information. Governance should define informed consent, purpose limitation, role-based access, storage duration, security, secondary use, correction procedures, and possible consequences for selection or contracts. Athletes should know what information is collected, why it is collected, who can access it, and how they can challenge an inaccurate record or inference. High-stakes decisions must retain explicit human review because an injury-risk alert is not a diagnosis, a talent score is not a complete projection, and an automated tactical classification does not establish causation.

5.4 Limitations and Future Research:

This article is an integrative conceptual review rather than a registered systematic review or meta-analysis. It does not estimate pooled effects, formally grade certainty for a single intervention, or claim exhaustive retrieval of every basketball-analytics study. The breadth of the synthesis introduces heterogeneity across populations, competition levels, technologies, outcomes, and study designs. Some supporting evidence comes from team-sport or general sport research where basketball-specific evidence is limited, so transfer should be tested rather than assumed.

Future studies should compare single-source and integrated systems prospectively, report criterion validity and meaningful measurement change, and test models across teams, leagues, sexes, age groups, seasons, and technology configurations. Tactical research should connect spatiotemporal patterns to interventions rather than only retrospective descriptions. Workload and injury studies should predefine exposures and outcomes and avoid universal thresholds. Computer-vision research should report task-specific error under occlusion and rapid interaction, while immersive-training studies should examine transfer and retention in representative on-court behaviour.

Implementation research should determine whether outputs are understood, accepted, modified, overridden, or ignored, why these responses occur, and whether decisions improve athlete welfare and competitive performance. Mixed-method studies can connect model metrics with practitioner reasoning and athlete experience. Economic evaluation is also needed to determine whether additional sensors and algorithms provide enough practical value compared with simpler approaches.

6. Conclusion:

Technology-enabled basketball analytics is best understood as an adaptive data-to-decision system. Player tracking, wearables, computer vision, motion capture, immersive environments, and integrated platforms expand what can be observed, while statistical, spatial, network, machine-learning, and optimization methods expand what can be inferred. Technology and modelling do not improve performance independently. Benefit arises when reliable multidimensional data address a defined question, preserve relevant context, communicate uncertainty, support an accountable human decision, and are followed by an evaluated intervention.

The proposed framework combines these requirements and translates them into six propositions for empirical testing. Its main practical implication is that basketball analytics should be judged by the quality, timeliness, fairness, and outcomes of the decisions it supports. Future progress will depend on validation, workflow design, responsible artificial intelligence, multidisciplinary interpretation, athlete participation, and continuous feedback as much as on new sensors and algorithms.

References:

1. Badiola-Bengoa, A., & Mendez-Zorrilla, A. (2021). A systematic review of the application of camera-based human pose estimation in the field of sport and physical exercise. *Sensors*, 21(18), 5996. <https://doi.org/10.3390/s21185996>
2. Bideau, B., Kulpa, R., Vignais, N., Brault, S., Multon, F., & Craig, C. (2010). Using virtual reality to analyze sports performance. *IEEE Computer Graphics and Applications*, 30(2), 14-21. <https://doi.org/10.1109/MCG.2009.134>
3. Bourdon, P. C., Cardinale, M., Murray, A., Gastin, P., Kellmann, M., Varley, M. C., Gabbett, T. J., Coutts, A. J., Burgess, D. J., Gregson, W., & Cable, N. T. (2017). Monitoring athlete training loads: Consensus statement. *International Journal of Sports Physiology and Performance*, 12(Suppl. 2), S2-161-S2-170. <https://doi.org/10.1123/IJSP.2017-0208>
4. Caparrós, T., Casals, M., Solana, Á., & Peña, J. (2018). Low external workloads are related to higher injury risk in professional male basketball games. *Journal of Sports Science and Medicine*, 17(2), 289-297.
5. Cardinale, M., & Varley, M. C. (2017). Wearable training-monitoring technology: Applications, challenges, and opportunities. *International Journal of Sports Physiology and Performance*, 12(Suppl. 2), S2-55-S2-62. <https://doi.org/10.1123/ijssp.2016-0423>
6. Cao, S., Geok, S. K., Roslan, S., Sun, H., Lam, S. K., & Qian, S. (2022). Mental fatigue and basketball performance: A systematic review. *Frontiers in Psychology*, 12, 819081. <https://doi.org/10.3389/fpsyg.2021.819081>
7. Chan, C.-C., Yung, P. S.-H., & Mok, K.-M. (2024). The relationship between training load and injury risk in basketball: A systematic review. *Healthcare*, 12(18), 1829. <https://doi.org/10.3390/healthcare12181829>
8. Chen, K., Rein, R., Memmert, D., & Garnica Caparrós, M. (2025). A critical evaluation of data utilization and analytical techniques in basketball performance analysis: A systematic review. *International Journal of Sports Science & Coaching*, 20(5). <https://doi.org/10.1177/17479541251347142>
9. Courel-Ibáñez, J., McRobert, A. P., Toro, E. O., & Vélez, D. C. (2017). Collective behaviour in basketball: A systematic review. *International Journal of Performance Analysis in Sport*, 17(1-2), 44-64. <https://doi.org/10.1080/24748668.2017.1303982>
10. Edwards, T., Spiteri, T., Piggott, B., Bonhotal, J., Haff, G. G., & Joyce, C. (2018). Monitoring and managing fatigue in basketball. *Sports*, 6(1), 19. <https://doi.org/10.3390/sports6010019>
11. Ferraz, A., Duarte-Mendes, P., Sarmiento, H., Valente-Dos-Santos, J., & Travassos, B. (2023). Tracking devices and physical performance analysis in team sports: A comprehensive framework for research, trends and future directions. *Frontiers in Sports and Active Living*, 5, 1284086. <https://doi.org/10.3389/fspor.2023.1284086>

12. Ferioli D., Schelling, X., Bosio, A., La Torre, A., Rucco, D., & Rampinini, E. (2018). Match activities in basketball games: Comparison between different competitive levels. *Journal of Strength and Conditioning Research*, 34(1), 172-182. <https://doi.org/10.1519/JSC.0000000000003039>
13. Fox, J. L., Scanlan, A. T., & Stanton, R. (2017). A review of player monitoring approaches in basketball: Current trends and future directions. *Journal of Strength and Conditioning Research*, 31(7), 2021-2029. <https://doi.org/10.1519/JSC.0000000000001964>
14. Franks, A., Miller, A., Bornn, L., & Goldsberry, K. (2015). Counterpoints: Advanced defensive metrics for NBA basketball. *Annals of Applied Statistics*, 9(1), 94-121. <https://doi.org/10.1214/14-AOAS799>
15. Gabbett, T. J. (2016). The training-injury prevention paradox: Should athletes be training smarter and harder? *British Journal of Sports Medicine*, 50(5), 273-280. <https://doi.org/10.1136/bjsports-2015-095788>
16. Gudmundsson, J., & Horton, M. (2017). Spatio-temporal analysis of team sports. *ACM Computing Surveys*, 50(2), Article 22. <https://doi.org/10.1145/3054132>
17. Han, M., Gómez-Ruano, M.-A., Calvo, A. L., & Calvo, J. L. (2023). Basketball talent identification: A systematic review and meta-analysis of anthropometric, physiological and physical performance factors. *Frontiers in Sports and Active Living*, 5, 1264872. <https://doi.org/10.3389/fspor.2023.1264872>
18. Hughes, M. D., & Bartlett, R. M. (2002). The use of performance indicators in performance analysis. *Journal of Sports Sciences*, 20(10), 739-754. <https://doi.org/10.1080/026404102320675602>
19. Impellizzeri, F. M., Marcora, S. M., & Coutts, A. J. (2019). Internal and external training load: 15 years on. *International Journal of Sports Physiology and Performance*, 14(2), 270-273. <https://doi.org/10.1123/ijspp.2018-0935>
20. Johnston, K., Wattie, N., Schorer, J., & Baker, J. (2018). Talent identification in sport: A systematic review. *Sports Medicine*, 48, 97-109. <https://doi.org/10.1007/s40279-017-0803-2>
21. Kempe, M., Grunz, A., & Memmert, D. (2015). Detecting tactical patterns in basketball: Comparison of merge self-organising maps and dynamic controlled neural networks. *European Journal of Sport Science*, 15(4), 249-255. <https://doi.org/10.1080/17461391.2014.933882>
22. Kubatko, J., Oliver, D., Pelton, K., & Rosenbaum, D. T. (2007). A starting point for analyzing basketball statistics. *Journal of Quantitative Analysis in Sports*, 3(3). <https://doi.org/10.2202/1559-0410.1070>
23. McInnes, S. E., Carlson, J. S., Jones, C. J., & McKenna, M. J. (1995). The physiological load imposed on basketball players during competition. *Journal of Sports Sciences*, 13(5), 387-397. <https://doi.org/10.1080/02640419508732254>
24. Miller, A. C., & Bornn, L. (2017). Possession sketches: Mapping NBA strategies. *Journal of the American Statistical Association*, 112(518), 499-509. <https://doi.org/10.1080/01621459.2016.1265973>
25. Munoz-Macho, A. A., Domínguez-Morales, M. J., & Sevillano-Ramos, J. L. (2024). Performance and healthcare analysis in elite sports teams using artificial intelligence: A scoping review. *Frontiers in Sports and Active Living*, 6, 1383723. <https://doi.org/10.3389/fspor.2024.1383723>
26. Naik, B. T., Hashmi, M. F., & Bokde, N. D. (2022). A comprehensive review of computer vision in sports: Open issues, future trends and research directions. *Applied Sciences*, 12(9), 4429. <https://doi.org/10.3390/app12094429>
27. Neumann, D. L., Moffitt, R. L., Thomas, P. R., Loveday, K., Watling, D. P., Lombard, C. L., Antonova, S., & Tremere, M. A. (2018). A systematic review of the application of interactive virtual reality to sport. *Virtual Reality*, 22, 183-198. <https://doi.org/10.1007/s10055-017-0321-5>
28. Pagé, C., Bernier, P.-M., & Trempe, M. (2019). Using video simulations and virtual reality to improve decision-making skills in basketball. *Journal of Sports Sciences*, 37(21), 2403-2410. <https://doi.org/10.1080/02640414.2019.1638193>
29. Petway, A. J., Freitas, T. T., Calleja-González, J., Medina Leal, D., & Alcaraz, P. E. (2020). Training load and match-play demands in basketball based on competition level: A systematic review. *PLOS ONE*, 15(3), e0229212. <https://doi.org/10.1371/journal.pone.0229212>
30. Pino-Ortega, J., Rojas-Valverde, D., Gómez-Carmona, C. D., & Rico-González, M. (2021). Training design, performance analysis, and talent identification: A systematic review about the most relevant variables through principal component analysis in soccer, basketball, and rugby. *International Journal of Environmental Research and Public Health*, 18(5), 2642. <https://doi.org/10.3390/ijerph18052642>
31. Richlan, F., Weiß, M., Braid, J., & Kastner, P. (2023). Virtual training, real effects: A narrative review on sports performance enhancement through interventions in virtual reality. *Frontiers in Psychology*, 14, 1240790. <https://doi.org/10.3389/fpsyg.2023.1240790>
32. Sampaio, J., McGarry, T., Calleja-González, J., Sáiz, S. J., Schelling, X., & Balciunas, M. (2015). Exploring game performance in the National Basketball Association using player tracking data. *PLOS ONE*, 10(7), e0132894. <https://doi.org/10.1371/journal.pone.0132894>
33. Scanlan, A. T., Wen, N., Tucker, P. S., & Dalbo, V. J. (2014). The relationships between internal and external training load models during basketball training. *Journal of Strength and Conditioning Research*, 28(9), 2397-2405. <https://doi.org/10.1519/JSC.0000000000000458>
34. Schelling, X., & Torres, L. (2016). Accelerometer load profiles for basketball-specific drills in elite players. *Journal of Sports Science and Medicine*, 15(4), 585-591.
35. Seshadri, D. R., Li, R. T., Voos, J. E., Rowbottom, J. R., Alfes, C. M., Zorman, C. A., & Drummond, C. K. (2019). Wearable sensors for monitoring the internal and external workload of the athlete. *npj Digital Medicine*, 2, Article 71. <https://doi.org/10.1038/s41746-019-0149-2>
36. Stojanović, E., Stojiljković, N., Scanlan, A. T., Dalbo, V. J., Berkelmans, D. M., & Milanović, Z. (2018). The activity demands and physiological responses encountered during basketball match-play: A systematic review. *Sports Medicine*, 48, 111-135. <https://doi.org/10.1007/s40279-017-0794-z>
37. Svilar, L., Castellano, J., & Jukić, I. (2018). Load monitoring system in top-level basketball team: Relationship between

- external and internal training load. *Kinesiology*, 50(1), 25-33. <https://doi.org/10.26582/k.50.1.4>
38. Terner, Z., & Franks, A. (2021). Modeling player and team performance in basketball. *Annual Review of Statistics and Its Application*, 8, 1-23. <https://doi.org/10.1146/annurev-statistics-040720-015536>
39. Vaeyens, R., Lenoir, M., Williams, A. M., & Philippaerts, R. M. (2008). Talent identification and development programmes in sport: Current models and future directions. *Sports Medicine*, 38, 703-714. <https://doi.org/10.2165/00007256-200838090-00001>
40. Zhu, H., Sun, Y., Shi, C., Wu, Y., Zhang, Y., & Zhang, S. (2024). Effects of perceptual-cognitive training on anticipation and decision-making in team-sport athletes: A systematic review and meta-analysis. *Behavioral Sciences*, 14(10), 919. <https://doi.org/10.3390/bs14100919>